

Future research plan

Kiyoiki Hoshino

15th January, 2024

I will study the following in analysis for random functions:

(1) Ogawa integrability

In [5], we showed that the Ogawa integral $\int_0^t X(s) d_\varphi B_s$ with respect to a Brownian motion B of a certain Skorokhod integral process X converges for each $t \in [0, L]$. In the causal case, [7] indicates that this convergence is uniform in $t \in [0, L]$, and therefore X satisfies the condition called regular integrability. Besides, [8] gave the unique existence of the stochastic integral equation by the regular integrable random function. So, I investigate the regular integrability of X in the general case. Also, I study the Ogawa integrability of the random function which is integrable with respect to the Nualart-Pardoux-Stratonovich integral (NPS integral for short) presented in [6, Theorem 7.3] and the Ogawa integrability in the case that the space $[0, L]$ of time parameter t is generalized.

(2) Riemann approximation of the stochastic integral

Introducing the regularized Riemann sum $R_\Delta(X; Y)$ for random functions X and Y and a weighted partition Δ of $[0, T]$, I constructed the stochastic integral $I_\alpha(X; Y) = \int X d_\alpha Y$ based on R_Δ indexed by a measurable function α from $[0, T]$ to $[0, 1]$ with the following two property ([3]):

- (a) When Y is a Brownian motion B and $\alpha = \frac{1}{2}$, I_α approximates the Ogawa integral regarding regular CONSs and NPS integral.
- (b) When Y is a continuous semi-martingale and $\alpha = \frac{1}{2}$, I_α approximates the Fisk-Stratonovich integral with respect to Y .

When Y is a Brownian motion, [7] shows the fundamental fact on the Ogawa integral that "every Brownian quasi-martingale is φ -integrable" is equivalent to " φ is regular" for a CONS φ which defines the Ogawa integral. On the analogy of this fact, when Y is a continuous quasi-martingale, I gave a necessary and sufficient condition for a weighted partition Δ to I_α exists for every quasi-martingale.

The Ogawa integral is defined with respect to a Brownian motion, while the integral I_α given in [3] is defined with respect to a quasi-martingale and includes as a special case the Ogawa integral regarding regular CONSs in the sense in (a). So, I want to answer the question whether the same fact holds for the integral I_α with respect to a (continuous or discontinuous) quasi-martingale as on the integrability and application given in [9] for the Ogawa integral.

(3) Stochastic differentiability, identification of random functions from the SFCs

The class of random functions with the quadratic variation and derivative $\frac{d}{dV}$ with respect to a random function V with the quadratic variation, described in (3) in "Summary of research results so far",

$$Q(V) = \left\{ X : \text{random function} \mid [X], \frac{dX}{dV} \text{ exists and } \frac{d[X]}{d[V]} = \left| \frac{dX}{dV} \right|^2 \right\}$$

forms a vector space ([4]). Next, we work on examining whether $Q(V)$ forms a ring and giving a larger linear space than $Q(V)$ as a class of random functions with the quadratic variations. Besides, given random functions V and W with quadratic variation, we are to give the calculation formula for quadratic variation or derivative of $X + Y$, XY when $X \in Q(V)$ and $Y \in Q(W)$. On the other hand, giving the derivation formulas based on the Ogawa integral and integral I_α in (2), we verify that these integral processes belong to $Q(V)$. Further, we attempt to apply this study to the identification problem of random functions from the SFCs.

References

- [1] K. Hoshino, Identification of random functions from the SFCs defined by the Ogawa integral regarding regular CONSs (Probability Symposium), RIMS Kôkyûroku. **2116**, 95-104, (2019).
- [2] K. Hoshino, Stochastic differentiability, Ogawa integrability and identification from SFCs of random functions, doctoral thesis, Osaka prefecture university, (2020)
- [3] K. Hoshino, On a Riemann approximation of the stochastic integral, MSJ Spring Meeting, abstract, (2020).
- [4] K. Hoshino, On the stochastic differentiability of noncausal processes with respect to the process with quadratic variation, Stochastics: An International Journal of Probability and Stochastic Processes, vol. 95. **8**, pp 1446-1473, (2023).
- [5] K. Hoshino, T. Kazumi, On the Ogawa integrability of noncausal Wiener functionals, Stochastics. Vol. 91. **5**, 773-796, (2019).
- [6] D. Nualart, E. Pardoux, Stochastic calculus with anticipating integrands. Probab. Th. Rel. Fields, 78, pp.535-581, (1988).
- [7] S. Ogawa, The stochastic integral of noncausal type as an extension of the symmetric integrals, Japan J. Appl. Math. **2**, 229-240, (1985).
- [8] S. Ogawa, On a stochastic Fourier transformation, Stochastics. Vol. 85. **2**, 286-294, (2013).
- [9] S. Ogawa, Noncausal Stochastic Calculus. Springer, (2017).